DEVELOPMENT OF DISCRIMINATION, DETECTION, AND LOCATION CAPABILITIES IN CENTRAL AND SOUTHERN ASIA USING MIDDLE-PERIOD SURFACE WAVES RECORDED BY A REGIONAL ARRAY

Anatoli L. Levshin Michael H. Ritzwoller

University of Colorado Department of Physics Campus Box 583 Boulder, CO 80309-0583

10 January 1996


Scientific Report No. 1

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED



PHILLIPS LABORATORY
Directorate of Geophysics
AIR FORCE MATERIEL COMMAND
HANSCOM AFB, MA 01731-3010

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

SPONSORED BY

Air Force Technical Applications Center Directorate of Nuclear Treaty Monitoring Project Authorization T/5101

MONITORED BY Phillips Laboratory CONTRACT No. F19628-95-0099

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either express or implied, of the Air Force or U.S. Government.

This technical report has been reviewed and is approved for publication.

DELAINE REITER

Contract Manager

Earth Sciences Division

JAMES F. LEWKOWICZ

Director

Earth Sciences Division

This report has been reviewed by the ESD Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/IM, 29 Randolph Road, Hanscom AFB, MA 01731-3010. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this correction of information is a stimuted to is large 1 or under risk line. Including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this Davis Highway, Suite 1204, Arlington, VAI 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

1. AGENCY USE ONLY (Leave be		3. REPORT TYPE AND D	PATES COVERED
4. TITLE AND SUBTITLE	January 10,1996	Scientific No.	. 1
Development of Discr Capabilities in Cent	rimination, Detection, cral and Southern Asia c Recorded by a Regiona	and Location PE Using Middle- PR	FUNDING NUMBERS E 35999F R 5101 TAGM WUAJ P628-95-C-0099
A.L. Levshin M.H. Ritzwoller			
7. PERFORMING ORGANIZATION University of Colora Department of Physic Campus Box 19 Boulder, CO 80309-00	ado es 019		PERFORMING ORGANIZATION REPORT NUMBER 715 - 01/10/96
9. SPONSORING/MONITORING AC Phillips Laboratory 29 Randolph Road Hanscom AFB, MA 0173 Contract Manager: De			SPONSORING MONITORING AGENCY REPORT NUMBER PL-TR-96-2045
11. SUPPLEMENTARY NOTES			
	release; distribution u		. DISTRIBUTION CODE
intermediate period of discrimination, and to data. It is focused of Southern Asia and the degrees of the Kyrghi 6.5-month time period preprocessing, softwar and constructing "mas In the next year, we construct group veloc surface wave signals of the lithosphere. It capabilities.	icated to the investigated to the investigated to the investigated (5 - 25 s) surface wave the accurate location of the accurate location of the manalysis of data from the manalysis of data from the manalysis of the measurate development, measurater curves" for clusted will greatly increase will greatly increase city maps for Central at recorded by a network will provide means	e data in problems of small events using the conference of small events using the conference of the conference of surface were of events in spectand Southern Asia. If and improvement of	of detection, and regional array aghout Central and op Nor within 15 - 25 efforts during the data collection and wave characteristics, ecific regions. essed data and The expected weak the regional model
14. SUBJECT TERMS			15. NUMBER OF PAGES
	ic Network Central and	Southern Asia	30 16. PRICE CODE
17. SECURITY CLASSIFICATION 1 OF REPORT unclassified	IB. SECURITY CLASSIFICATION 1 OF THIS PAGE unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT unclassified	20. LIMITATION OF ABSTRACT

SAR

Table of Contents

1.	Introduction1
2.	Data Collection and Preprocessing1
3.	Software Development5
4.	Measurements of Surface Wave Characteristics5
5.	Surface Wave Group Velocities across Central and Southern Asia12
6.	Conclusions and Future Plans12
7.	Contributing Researchers15
8.	Related Contracts and Publications15
9.	References16
10	. Distribution List18

DEVELOPMENT OF DISCRIMINATION, DETECTION, AND LOCATION CAPABILITIES IN CENTRAL AND SOUTHERN ASIA USING MIDDLE-PERIOD SURFACE WAVES RECORDED BY A REGIONAL ARRAY

1. Introduction

This research is dedicated to investigation of the relevance and use of intermediate period (5-25 s) surface wave data in problems of detection, discrimination, and the accurate location of small events using regional array data within a nonproliferation monitoring environment. It is focused on analysis of data from events (earthquakes throughout Central and Southern Asia and the Middle East and nuclear explosions at Lop Nor) within $15-25^o$ of the Kyrghiz Seismic Telemetry Network. The main goals are to:

- improve detection capabilities by developing techniques for extracting weak surface wave signals immersed in strong background noise using standard group and phase velocity curves and phase-stacking procedures;
- enhance *location capabilities* by improving existing 3D models of the regional crustal and uppermost mantle velocity structure and, in this way, providing a firm foundation for the application of a 3D location algorithm.

Our research work during the 6.5-month time period covered by this report has naturally divided into several steps:

- Data collection and preprocessing;
- Software development;
- Measurements of surface wave characteristics.
- Characterization of surface wave propagation across various tectonic regimes of Central and Southern Asia.

In following, we will describe the status of these efforts and the current results in each of the mentioned direction.

2. Data Collection and Preprocessing.

Earthquake and nuclear explosion data recorded by the Kyrghiz Telemetered Seismic Network (KNET) (Vernon, 1994) (Figure 1 and Table 1) between 1991 and 1995 have been used to study the characteristics of surface wave propagation across Central and Southern Asia. More than 200 events with body wave magnitude $M_b > 3.5$ and source depth less than 100 km within $15 - 25^{\circ}$ of KNET were selected for the analysis. In the first stage of analysis, 80 events with $M_b > 4.0$ were analyzed. Positions of epicenters for these events are shown on Figure 2. Many events are grouped in clusters inside small areas, providing the opportunity for path averaging to improve the statistics of the group velocity measurements. Source-network paths for the analyzed events are shown on




Figure 1. Kyrghyz Network

Table 1. Kyrghyz Seismic Network

Station	Latitude	Longitude	Elevation	Operatio	tion Time	
	o, N	o, E	km	from	till	
СНМ	42.9986	74.7513	0.6550	1/9/1991	now	
EKS2	42.6615	73.7772	1.3600	1/9/1991	now	
USP	43.2669	74.4997	0.7400	1/9/1991	now	
BGK2	42.6451	74.2274	1.6400	1/9/1991	10/9/1993	
AML	42.1311	73.6941	3.4000	1/9/1991	now	
KZA	42.0778	75.2496	3.5200	1/9/1991	now	
TKM	42.8601	75.3184	0.9600	1/9/1991	8/29/1994	
KBK	42.6564	74.9478	1.7600	1/9/1991	now	
AAK	42.6333	74.4944	1.6800	1/9/1991	now	
UCH	42.2275	74.5134	3.8500	1/9/1991	now	
ULHL	42.2456	76.2417	2.0400	5/9/1994	now	
TKM2	42.9208	75.5966	2.0200	9/14/1994	now	




Figure 2. Source distribution for events for which several KNET stations are operating. Source symbol sizes are scaled linearly by body wave magnitude.

Figure 3.

Three-component records of all KNET stations operating at the time of a given event have been extracted from KNET's continuous broadband channels and have been completely preprocessed into event volumes. The sampling rate of these channels is 20 Hz, the number of operating stations varies with time from 4 to 10. The quality of records is normally quite good, the number of glitches and telemetric drops per a fixed time interval steadily decreases with operational time.

3. Software development.

The basic numerical elements for obtaining surface wave measurements had been developed by us prior the contract period (Levshin *et al.*, 1992, 1994). The recent innovation is that code has been developed which allows measurements to be made rapidly on relatively large volumes of data. This has required the development of rational parametric and waveform database structures and the development of relatively rapid graphical routines for human interaction with the data. The technique used will be briefly described below.

We continue to develop software for tomographic imaging and inversion of surface wave data. In addition, we will begin to develop software for stacking surface wave signals across the network during the next contract year.

4. Measurements of Surface Wave Characteristics.

Problems associated with the estimation of accurate surface wave characteristics (wave velocities, amplitudes, polarizations) do not change in nature with the spatial scale or frequency band of interest, although they do change in magnitude. The most significant issues concern the accrual of high quality data, the identification and extraction of unwanted signals, and the measurement of the signals of interest.

Data quality is quite good, as exemplified by the record section shown in Figure 4a. The main problem to be faced is that the structure under study is quite complicated. This not only makes interpretation in terms of structural models difficult, but also greatly complicates measurements; or more accurately complicates the identification of the aspects of the waveforms on which measurements are to be applied. Our aim, then, is to extract the signals we desire, related to nearly directly arriving waves that can be interpreted deterministically, from the potentially interfering multipaths and coda that are essentially stochastic in nature.

The basic characteristics of the current measurement procedure is based on a long history of development of surface wave analysis (e.g., Dziewonski et al., 1969, 1972; Levshin et al., 1972, 1989, 1992, 1994; Cara, 1973; Russell et al., 1988). As described above, the recent innovation is that code has been developed which allows measurements to be made rapidly on relatively large




Figure 3. Source-station paths for selected events.

(a) Record Section of Z-components for KNET stations




Figure 4. An example of surface wave data processing: Qinghai event on 1/27/1994, Ms=4.8

- (a) Record section for vertical components. A path scheme is inserted.
- (b) Group velocity Period diagrams for the station USP.
- (c) Group velocity measurements.
- (d) Raw and filtered waveforms.

(b) Group Velocity - Period Diagrams: Raw and Filtered **USP Radial USP Transverse USP** Vertical Group velocity (km/s) overlone long period Coda noise 7 8 10 1 Group velocity (km/s) filtered filtered filtered 20 30 Period (s) Period (s) Period (s) 10 1 Waveforms: Raw and Filtered Group Velocities: (c) Rayleigh and Love -Transvērse Transverse (Love) Group velocity (km/s) rãdial Z (Rayleigh) JSP:BHZ measurements from 5 KNET stations 340 425 765 850 Period (seconds) Time from origin (seconds)

Figure 4. Continuation

volumes of data from heterogeneous networks and a variety of source regions whic can be stored into appropriate data base.

The general form of the measurement procedure is as follows. Group velocity - period diagrams for the vertical, radial, and transverse components are constructed. An analyst manually traces the apparent group velocity curve for the Rayleigh wave (on the vertical and radial components) and the Love wave (on the transverse component). Time-variable filters are applied around the selected curve to separate the desired signal from the 'noise'. This results in filtered group velocity - period diagrams for which contamination from interfering signals should be reduced. Group velocity, phase velocity, amplitude, and polarization measurements are automatically obtained on the filtered images.

To date, the method has been applied to waveform data from 80 events surrounding KNET (Table 2). Approximately 600 Love and Rayleigh wave dispersion curves have been obtained. Records for an additional 120 events which occurred in 1995 will be processed in the immediate future.

Figures 4a-d present an example the analysis of these data , in which unwanted signals, in particular surface wave coda, overtones, and body waves are greatly reduced in the filtered seismogram on which measurements are obtained. Seven KNET stations were operating during the passage of surface waves from an event in the Qinghai Province, China on 1/17/94 ($\Delta \approx 16$ degrees, $M_s = 4.8$). Rayleigh and Love wave group velocity measurements are shown in Figure 4bc. Rayleigh wave measurements are quite similar across the array above about 20 seconds period and for Love waves above about 30 seconds period at this azimuth. Variations across the array at shorter periods result both from real differences along the various wave paths near the network and also from Rayleigh - Love interference, which can be significant since the group velocities of the two wave types are similar in this period range. Cleaned and raw waveforms are presented in Figure 4d.

An unfortunate, but currently still necessary, characteristic of this procedure, is that it depends crucially on direct human interaction with potentially large volumes of seismic waveform data. The success of this method is based on the analyst accurately identifying the main dispersion ridge of the fundamental modes, separating the 'direct arrival' from surface wave coda at periods below about 10 seconds, inspecting interpolation near spectral holes, and truncating the measurements appropriately at long periods as the signals weaken. This interaction limits the speed with which the method can be applied, and, therefore, the volume of data that can be processed. The extreme complexity and variability of the wave patterns seen on many records and frequency-time diagrams due to lateral refraction, multipathing, and scattering makes the complete automation of surface wave measurements for periods less than 10-15 s in this region quite problematic.

Data Base Structure

All waveform and parametric data, as well as surface wave measurements, are stored in the CSS v. 3.0 relational database (Anderson et al., 1990) plus extensions. This data base will be delivered

Table 2. EVENT LOCATIONS

N	DATE	DAY	TIME	LATITUDE	LONGITUDE	DEPTH	M_b	M_s
	m/d/y		hh:mm:ss	$arphi^0,N$	λ^0, E	km		
1	9/15/1991	258	0:20:50	30.61	66.73	33.0	4.80	4.20
2	9/20/1991	263	11:16:11	36.19	100.0	13.0	5.50	5.00
3	11/08/1991	312	15:13:44	26.32	70.60	22.0	5.60	5.00
4	11/13/1991	317	21:04:29	30.75	50.08	33.0	5.10	4.50
5	11/15/1991	319	19:53:43	29.69	69.13	19.0	4.60	4.30
6	11/28/1991	332	17:19:55	36.92	49.60	16.0	5.60	5.00
7	12/14/1991	348	5:53:05	35.04	57.59	33.0	4.90	4.40
8	12/14/1991	348	8:20:23	33.97	88.84	33.0	5.10	4.60
9	12/19/1991	353	18:55:17	28.10	57.30	27.0	5.30	4.80
10	12/21/1991	355	19:52:45	27.90	88.13	57.0	4.90	4.20
11	12/28/1991	362	9:07:03	51.09	98.06	17.0	5.00	4.70
12	1/04/1992	004	3:35:21	31.95	69.99	29.0	5.00	5.10
13	1/20/1992	020	8:58:22	27.39	65.99	27.0	5.20	5.20
14	1/21/1992	021	22:07:58	26.63	67.19	26.0	5.40	5.20
15	1/22/1992	022	10:48:39	26.57	67.31	33.0	4.30	4.30
16	1/24/1992	024	5:04:47	35.51	74.52	47.0	5.40	4.20
17	1/30/1992	030	5:22:01	24.95	63.14	29.0	5.50	5.60
18	2/14/1992	045	8:18:25	53.89	108.8	21.0	5.30	5.30
19	3/03/1992	063	18:35:02	28.35	57.14	33.0	4.80	4.10
20	3/04/1992	064	11:57:53	31.72	50.77	18.0	4.90	4.60
21	3/09/1992	069	16:59:28	27.42	66.04	19.0	4.90	4.10
22	3/13/1992	073	17:18:39	39.71	39.60	27.0	6.20	6.80
23	3/15/1992	075	16:16:24	39.53	39.92	21.0	5.50	5.80
24	3/24/1992	084	19:32:10	31.54	81.54	16.0	4.80	4.40
25	3/24/1992	084	21:01:47	33.83	72.90	14.0	5.00	4.20
26	3/27/1992	087	10:39:30	35.99	72.54	35.0	4.90	4.50
27	3/28/1992	088	10:17:41	26.58	67.30	10.0	4.90	4.30
28	4/04/1992	095	17:43:20	28.14	87.97	33.0	4.90	4.60
29	4/13/1992	104	3:47:51	31.95	88.33	33.0	4.60	4.50
30	4/24/1992	115	7:07:23	27.55	66.06	25.0	5.90	6.10
31	5/05/1992	126	13:57:51	29.74	50.83	40.0	4.60	4.50
32	5/05/1992	126	15:57:40	30.04	50.81	10.0	4.40	4.20
33	5/11/1992	132	11:23:41	36.79	73.48	33.0	4.70	4.10
34	5/15/1992	136	5:57:00	36.00	73.19	33.0	4.20	4.30
35	5/19/1992	140	12:24:57	28.29	55.59	33.0	5.70	5.00
36	5/20/1992	141	12:20:32	33.37	71.31	16.0	6.00	6.00
37	5/21/1992	142	4:59:57	41.60	88.81	0.0	6.50	5.00
38	6/05/1992	157	0:23:43	33.24	71.22	33.0	4.90	4.50
39	6/13/1992	165	15:40:05	28.94	82.92	33.0	4.60	4.90
40	6/21/1992	173	11:19:39	38.30	99.42	20.0	4.80	5.00

N	DATE	DAY	TIME	LATITUDE	LONGITUDE	DEPTH	M_b	M_s
	m/d/y		hh:mm:ss	φ^0,N	λ^0, E	km	1 0	1118
41	6/27/1992	179	2:13:18	35.14	81.07	33.0	4.50	4.60
42	6/27/1992	179	13:21:20	35.13	81.13	33.0	5.00	4.70
43	7/08/1992	190	10:09:48	21.05	93.68	43.0	5.40	4.80
44	7/09/1992	191	21:34:02	21.00	89.97	29.0	5.30	4.60
45	7/19/1992	201	3:58:00	23.25	63.97	17.0	4.80	4.20
46	7/30/1992	212	8:24:46	29.58	90.16	14.0	5.90	5.80
47	10/02/1993	275	1:17:30	39.06	69.96	14.0	5.00	4.40
48	10/02/1993	275	8:42:32	38.19	88.66	14.0	6.20	6.30
49	10/02/1993	275	9:43:19	38.16	88.60	14.0	5.80	5.30
50	10/02/1993	275	17:23:33	38.17	88.69	14.0	5.60	5.00
51	1/11/1994	011	0:51:56	25.23	97.20	10.0	6.00	5.90
52	1/27/1994	027	4:37:14	33.40	92.22	33.0	4.80	4.80
53	2/10/1994	041	2:24:35	39.12	71.58	24.0	4.70	4.10
54	2/10/1994	041	6:15:18	36.96	35.82	17.0	4.90	4.30
55	6/20/1994	171	9:09:02	28.96	52.61	9.0	5.90	5.70
56	6/29/1994	180	18:22:33	32.56	93.67	10.0	5.90	5.60
57	7/11/1994	192	20:57:37	37.54	54.47	29.0	4.80	4.30
58	7/23/1994	204	20:57:59	31.06	86.54	16.0	5.10	5.00
59	8/31/1994	243	4:19:13	49.48	94.21	33.0	5.00	4.10
60	1/03/1995	003	11:21:45	27.74	56.29	41.0	4.50	-
61	1/04/1995	004	2:22:12	27.54	56.53	33.0	4.60	-
62	1/10/1995	010	10:09:51	20.20	109.1	33.0	5.20	5.50
63	1/17/1995	017	22:15:49	34.65	70.76	27.0	4.60	-
64	1/21/1995	021	3:02:32	29.01	52.05	33.0	4.70	-
65	1/24/1995	024	4:14:26	27.56	55.63	33.0	4.90	-
66	1/24/1995	024	4:52:05	27.38	55.52	0.0	4.31	-
67	2/02/1995	033	19:34:49	39.32	67.49	33.0	4.60	-
68	2/10/1995	041	7:49:19	36.18	69.11	44.0	4.60	-
69	2/10/1995	041	8:17:48	36.08	69.12	33.0	4.60	-
70	2/23/1995	054	21:03:01	35.04	32.27	10.0	5.80	5.70
71	2/11/1995	042	6:01:11	36.16	69.07	33.0	4.10	-
72	2/12/1995	043	10:56:58	33.28	93.38	27.0	4.80	4.60
73	2/17/1995	048	2:44:25	27.63	92.37	39.0	5.20	5.10
74	2/20/1995	051	4:12:23	39.16	71.11	26.0	5.40	-
75	2/20/1995	051	8:07:34	41.07	72.45	39.0	5.00	4.50
76	2/24/1995	055	15:27:18	51.21	98.15	30.0	4.50	-
77	3/03/1995	062	13:51:22	34.59	45.20	33.0	4.50	-
78	3/16/1995	075	3:27:02	30.12	67.56	29.0	4.80	4.20
79	3/22/1995	081	6:28:36	30.20	51.04	33.0	4.80	
80	3/25/1995	084	11:23:27	33.83	47.90	33.0	4.60	

to the funding agents upon completion of the contracts. The standard relations (affiliation, event, gregion, instrument, network, origin, sensor, site, sitechan, sregion, wfdisc) are augmented with two event relations modified slightly from CSS v. 2.8 (centryd, moment) and three extensions (disp, ftdisc, wfedit). The wfedit relation contains information about the time, duration and nature of waveform problems (e.g., clips, gaps, nonlinearities, interfering events, etc.). The disp and ftdisc relations point to dispersion measurements and group velocity - period images, respectively. For each station:event pair, raw and filtered group velocity images are output and pointed to by the ftdisc relation. Dispersion measurements (group velocity, phase velocity, spectral amplitude, polarization) are output and pointed to by the disp relation. Cleaned or filtered waveforms are output and pointed to by a cleaned wfdisc relation.

5. Surface Wave Group Velocities across Central and Southern Asia.

The selected events are naturally segregated in several clusters. The most well represented clusters are situated in South-Western Turkmenia, Northern Turkey and Cyprus, Northern, Western and Southern Iran, Southern Pakistan, Tibet, Lop Nor, Mongolia. On the way to KNET, surface waves from these clusters cross such dramatically different tectonic regimes as the Tien Shan, Pamir, Hindu Kush, Karakoram, Kunlun, Elburz, Kopet, Zagros, and Himalayan Mountains; the Tibetan and Iranian plateaus; the Tarim Basin,the Turkmenian Platform; and the Indian Shield. The differences in surface topography along these paths are among the greatest in the world (more than 6 km for some paths) and variations in sedimentary thickness are even greater, with thicknesses ranging from more than 15 km in the eastern part of Tarim basin near Lop Nor to essentially zero in Mongolia. Crustal thicknesses in the region, according to Molnar (1988), vary from 40 to 70 km.

Group velocity measurements have been performed for more than 80 events belonging to the forementioned clusters. Approximately 350 Rayleigh wave dispersion curves and 250 Love wave dispersion curves for waves excited at these sites and recorded by KNET stations have been obtained. Results from some group velocity measurements are shown in Figure 5. The great variability of group velocities clearly illustrates complicated structures in this region and strong variations in surface wave propagation across different tectonic regimes. The variability of amplitude and polarization parameters of Love waves across the network for the event in Pakistan is demonstrated by Figure 6. Such variability implies that to make stacking procedures efficient it is necessary to introduce azimuthal and range dependent corrections for individual stations of the network.

6. Conclusions and Future Plans

Current results of our study can be summarized as follows:

• An innovative technique for surface wave analysis was developed which allows phase and group velocity, amplitude and polarization measurements to be made rapidly on relatively large volumes




Figure 5. Group velocity variability across KNET is presented for Rayleigh (R) and Love (L) waves. One standard deviation 'error bars' are shown at periods where measurements from at least 3 stations exist, in order to represent the variability observed for a variety of source regions around Central and Southern Asia.




Figure 6. Polarization and amplitude measurements for a magnitude mb = 4.7 event in Pakistan, recorded at 8 KNET stations. Strong amplitude variability is typically observed across the network.

of data from heterogeneous networks and a variety of source regions.

- A data base of surface wave raw and filtered records with accompanying parametric information has been created by application of this technique to broadband records of Kyrghiz Telemetered Seismic Network between 1991 and 1995. This data base includes records and measurements for 80 events in different parts of Asia (from Turkey and Iran to the West from KNET, from Pakistan and India to the South, from China and Mongolia to the East. Paths from these events cross drastically different tectonic regimes.
- Group velocity measurements for surface waves from clustered events have been used to construct standard Rayleigh and Love wave group velocity curves in the period range from 5-10 and 30-40 s for a number of paths between KNET and seismic areas in Turkey, Iran, Pakistan, China, Turkmenia, Mongolia, and the Chinese test site at Lop Nor.

Future developments will be along the following lines.

- We will further extend the surface wave data base. This will be done (a) by processing ≈ 120 additional events recorded by KNET in 1995; (b) by adding measurements performed on records from from GSN, CDSN, and GEOSCOPE networks deployed in the same region (AFOSR Grant No. 49620- 95-0139); (c) by adding measurements performed on records of PASSCAL stations during the Tibetan Plateau experiment and stations of the FSU (Wu & Levshin, 1994; Wu et al., 1996). We expect, in this way, to obtain ≈ 1500 independent wave paths and to use velocity measurements along them in a tomographic inversion for crustal V_s structures.
- High-resolution phase and group velocity maps in Central Asia will be constructed using the
 described measurements. We expect the spatial resolution of these maps to be on the order of
 250-400 km for the region to the West, South and East from KNET at ranges less than 25°.
- These maps will be used to develop surface wave stacking/array processing methods for regional broadband arrays located in the geologically complex setting. Such methods must incorporate differences in the dispersion characteristics among stations in the stack.

7. Contributing Researchers.

Dr. L. Ratnikova, S. S. Smith, and C. S. Lee contributed to the research in this report.

8. Related Contracts and Publications.

No other contracts were used to support the results given in this report.

The following publications were produced with support from this contract.

Ritzwoller, M. H., A. L. Levshin, S. S. Smith, and C. S. Lee, 1995. Making accurate continental

broadband surface wave measurements. Proceedings of the 17th Seismic Research Symposium on Monitoring and Comprehensive Ban Treaty, Phillips Laboratory, Scottsdale, AZ, Sept. 1995, 482-491, PL-TR-95-2108. ADA310037

9. References

- Anderson, J., W. E. Farrell, K. Garcia, J. Given, H. Swanger, 1990. Center for Seismic Studies Version 3 Database: Schema Reference Manual, CSS Technical Report C90-01, September, 1990.
- Cara, M., 1973. Filtering of dispersed wave trains, Geophys. J. R. astr. Soc., 33, 65 80.
- Dziewonski, A. M., S. Bloch, and M. Landisman, 1969. A technique for the analysis of transient seismic signals, *Bull. seism. Soc. Am.*, **59**, 427 444, 1969.
- Dziewonski, A. M., J. Mills, and S. Bloch, 1972. Residual dispersion measurements: a new method of surface wave analysis, *Bull. seism. Soc. Am.*, **62**, 129 139.
- Dziewonski, A. M., and D. L. Anderson, 1981. Preliminary Reference Earth Model, *Phys. Earth Planet. Int.*, **25**, 297-356.
- Levshin, A. L., Pisarenko, V. F., and G. A. Pogrebinsky, 1972. On a frequency-time analysis of oscillations, *Ann. Geophys.*, **28**, 211 218.
- Levshin, A. L., T. B. Yanovskaya, A. V. Lander, B. G. Bukchin, M. P. Barmin, L. I. Ratnikova, and E. N. Its, 1989. Seismic surface waves in a laterally inhomogeneous Earth, (ed. V. I. Keilis-Borok), Kluwer Publ., Dordrecht.
- Levshin, A. L., L. I. Ratnikova, and J. Berger, 1992. Peculiarities of surface wave propagation across Central Eurasia, *Bull. seism. Soc. Am.*, 82, 2464 2493.
- Levshin, A. L., M. H. Ritzwoller, and L. I. Ratnikova, 1994. The nature and cause of polarization anomalies of surface waves crossing northern and central Eurasia. *Geophys. J. Int.*, 117, 577-590.
- Levshin, A. L., and M. H. Ritzwoller, 1995. Characteristics of surface waves generated by events on and near the Chinese nuclear test site, *Geophys. J. Int.*, 123, 131-148.
- Levshin, A. L., M. H. Ritzwoller, and L. I. Ratnikova. Surface wave group velocity measurements across Eurasia, 1995. Proceedings of the the 17th Seismic Research Symposium on Monitoring and Comprehensive Ban Treaty, Phillips Laboratory, Scottsdale, AZ, Sept. 1995, 226-236, PL-TR-95-2108. ADA310037

- Levshin, A. L., and M. H. Ritzwoller, 1995. High-resolution surface wave group velocity tomography of Eurasia. *EOS*, *Transactions*, **76**, No 46, 386.
- Molnar, P., 1988. A review of geophysical constraints on the deep structure of the Tibetan Plateau, the Himalaya and the Karakoram, and their tectonic implications. *Phil. Trans. R. Soc. Lond.*, A, **326**, 33-88.
- Ritzwoller, M. H., A. L. Levshin, S. S. Smith, and C. S. Lee, 1995. Making accurate continental broadband surface wave measurements. *Proceedings of the 17th Seismic Research Symposium on Monitoring and Comprehensive Ban Treaty*, Phillips Laboratory, Scottsdale, AZ, Sept. 1995, 482-491, PL-TR-95-2108. ADA310037
- Russell, D. W., R. B. Herrman, and H. Hwang, 1988. Application of frequency-variable filters to surface wave amplitude analysis, *Bull. seism. Soc. Am.*, 78, 339 354.
- Vernon, F., 1994. The Kyrghyz Seismic Network, IRIS Newsletter, XIII, 7-8.
- Wu, F. T. and A. Levshin, 1994. Surface wave tomography of China using surface waves at CDSN. *Phys. Earth & Planet Inter.*, **84**, No. 1-4, 59-77.
- Wu, F. T., Levshin, A. L., and V. M. Kozhevnikov, 1996. Rayleigh wave group velocity tomography of Siberia, China and the Vicinity, (in press).

Thomas Ahrens Seismological Laboratory 252-21 California Institute of Technology Pasadena, CA 91125

Dale Anderson PNL PO Box 999, MS K5-12 Richland, WA 99352

Fred N. App LANL PO Box 1663, MS F659 Los Alamos, NM 87545

Diane Baker LANL PO Box 1663, MS C335 Los Alamos, NM 87545

Richard Bardzell ACIS DCI/ACIS Washington, DC 20505

Douglas Baumgardt ENSCO Inc. 5400 Port Royal Road Springfield, VA 22151

Mara Begley ACIS NPIC/PO Box 70967/SouthWest Station Washington, DC 20024-0967

William Benson NAS/COS Room HA372 2001 Wisconsin Ave. NW Washington, DC 20007

Robert Blanford AFTAC 1300 N. 17th Street Suite 1450 Arlington, VA 22209-2308

Sierra Boyd LLNL PO Box 808, MS L-207 Livermore, CA 94551 Ralph Alewine NTPO 1901 N. Moore Street, Suite 609 Arlington, VA 22209

Kevin Anderson PNL PO Box 999, MS K5-12 Richland, WA 99352

Michael Axelrod LLNL PO Box 808, MS L-200 Livermore, CA 94551

Muawia Barazangi Institute for the Study of the Continents 3126 Snee Hall Cornell University Ithaca, NY 14853

T.G. Barker Maxwell/S-Cubed Division P.O. Box 1620 La Jolla, CA 92038-1620

Richard C. Beckman SNL Dept. 5791 MS 0567, PO Box 5800 Albuquerque, NM 87185-0567

Theron J. Bennett Maxwell/S-Cubed Division 11800 Sunrise Valley Drive Suite 1212 Reston, VA 22091

Jonathan Berger University of CA, San Diego Scripps Institution of Oceanography IGPP, 0225 9500 Gilman Drive La Jolla, CA 92093-0225

Randy J. Bos LANL PO Box1663, MS F665 Los Alamos, NM 87545

Steven Bratt NTPO 1901 N. Moore Street, Suite 609 Arlington, VA 22209 Dale R. Breding

SNL

Dept. 5704

MS 0655, PO Box 5800

Albuquerque, NM 87185-0655

Wendee M. Brunish

LANL

PO Box 1663, MS F659

Los Alamos, NM 87545

Rhett Butler

IRIS

1616 N. Fort Meyer Drive

Suite 1050

Arlington, VA 22209

Leslie A. Casey

DOE

1000 Independence Ave. SW

NN-40

Washington, DC 20585-0420

Eric P. Chael

SNL

Dept. 9311

MS 1159, PO Box 5800

Albuquerque, NM 87185-1159

Allen H. Cogbill

LANL

PO Box 1663, MS C335

Los Alamos, NM 87545

Anton Dainty

PL/GPE

29 Randolph Road

Hanscom AFB, MA 01731

Thomas N. Dey

LANL

PO Box 1663, MS F665

Los Alamos, NM 87545

Sean Doran

ACIS

DCI/ACIS

Washington, DC 20505

Farid Dowla

LLNL

PO Box 808, MS L-205

Livermore, CA 94551

Landon Bruce

LLNL

PO Box 808, MS L-200

Livermore, CA 94551

Norm Burkhard

LLNL

PO Box 808, MS L-221

LIvermore, CA 94551

Dorthe B. Carr

SNL

Dept. 5736

MS 0655, PO Box 5800

Albuquerque, NM 87185-0655

Albert J. Chabai

SNL

Dept. 9311

MS 1159, PO Box 5800

Albuquerque, NM 87185-1159

John P. Claassen

SNL

Dept. 5736

MS 0655, PO Box 5800

Albuquerque, NM 87185-0655

Robert H. Corbell

SNL

Dept. 5736

MS 0655, PO Box 5800

Albuquerque, NM 87185-0655

Marvin D. Danny

LLNL

PO Box 808, MS L-205

Livermore, CA 94551

Dr. Stanley Dickinson

AFOSR

110 Duncan Avenue

Suite B115

Bolling AFB, Washington D.C. 20332-001

Diane I. Doser

Department of Geological Sciences

The University of Texas at El Paso

El Paso, TX 79968

Bill Dunlop

LLNL

PO Box 808, MS L-175

Livermore, CA 94551

Michael W. Edenburn SNL Dept. 4115 MS 0329, PO Box 5800 Albuquerque, NM 87185-0329

Richard J. Fantel Mines Denver Federal Center Denver, CO 80225

Mark D. Fisk Mission Research Corporation 735 State Street P.O. Drawer 719 Santa Barbara, CA 93102-0719

Frederick E. Followill LLNL PO Box 808, MS L-208 Livermore, CA 94551

Robert Geil DOE Palais des Nations, Rm D615 Geneva 10, SWITZERLAND

Peter Goldstein LLNL PO Box 808, MS L-205 Livermore, CA 94551

Henry Gray SMU Statistics Department P.O. Box 750302 Dallas, TX 75275-0302

Dan N. Hagedorn PNL PO Box 999, MS K7-34 Richland, WA 99352

Willard J. Hannon Jr. LLNL PO Box 808, MS L-205 Livermore, CA 94551

David B. Harris LLNL PO Box 808, MS L-205 Livermore, CA 94551 CL Edwards LANL PO Box 1663, MS C335 Los Alamos, NM 87545

John Filson ACIS/TMG/NTT Room 6T11 NHB Washington, DC 20505

R. Patrick Fleming SNL Dept. 5736 MS 0655, PO Box 5800 Albuquerque, NM 87185-0655

RADM (Ret) Thomas Fox PNL PO Box 999, MS K6-48 Richland, WA 99352

Lewis A. Glenn LLNL PO Box 808, MS L-200 Livermore, CA 94551

Lori Grant Multimax, Inc. 1441 McCormick Drive Landover, MD 20785

Catherine de Groot-Hedlin Scripps Institution of Oceanography University of California, San Diego Institute of Geophysics and Planetary Physics La Jolla, CA 92093

Richard C. Hanlen PNL PO Box 999, MS K6-40 Richland, WA 99352

Phil Harben LLNL PO Box 808, MS L-208 Livermore, CA 94551

Hans E. Hartse LANL PO Box 1663, MS C335 Los Alamos, NM 87545 Terri Hauk LLNL PO Box 808, MS L-205 Livermore, CA 94551

Thomas Hearn
New Mexico State University
Department of Physics
Las Cruces, NM 88003

Donald Helmberger
California Institute of Technology
Division of Geological & Planetary Sciences
Seismological Laboratory
Pasadena, CA 91125

Preston B. Herrington SNL Dept. 5736 MS 0655, PO Box 5800 Albuquerque, NM 87185-0655

Kenneth T. Higbee PNL PO Box 999, MS K5-12 Richland, WA 99352

W. Mark Hodgson LANL PO Box 1663 MS D460 Los Alamos, NM 87545

Steve Hunter LLNL PO Box 808, MS L-208 Livermore, CA 94551

Anthony Iannacchione Mines Cochrane Mill Road PO Box 18070 Pittsburgh, PA 15236-9986

Thomas Jordan
Massachusetts Institute of Technology
Earth, Atmospheric & Planetary Sciences
77 Massachusetts Avenue, 54-918
Cambridge, MA 02139

James R. Kamm LANL PO Box 1663, MS F659 Los Alamos, NM 87545 James Hayes NSF 4201 Wilson Blvd., Room 785 Arlington, VA 22230

Michael Hedlin University of California, San Diego Scripps Institution of Oceanography IGPP, 0225 9500 Gilman Drive La Jolla, CA 92093-0225

Eugene Herrin Southern Methodist University Department of Geological Sciences Dallas, TX 75275-0395

Robert Herrmann
St. Louis University
Department of Earth & Atmospheric Sciences
3507 Laclede Avenue
St. Louis, MO 63103

Larry Himes HQ/AFTAC/TTR 1030 S. Highway A1A Patrick AFB, FL 32925-3002

Vindell Hsu HQ/AFTAC/TTR 1030 S. Highway A1A Patrick AFB, FL 32925-3002

Larry Hutchings LLNL PO Box 808, MS L-208 Livermore, CA 94551

Steven P. Jarpe LLNL PO Box 808, MS L-208 Livermore, CA 94551

Katharine Kadinsky-Cade PL/GPE 29 Randolph Road Hanscom AFB, MA 01731

Michael Karnegai LLNL PO Box 808, MS L-200 Livermore, CA 94551 Paul W. Kasemeyer LLNL PO Box 808, MS L-208 Livermore, CA 94551

Don Larson LLNL PO Box 808 MS L-205 Livermore, Ca 94551

Anatoli L. Levshin Department of Physics University of Colorado Campus Box 390 Boulder, CO 80309-0309

Donald A. Linger DNA 6801 Telegraph Road Alexandria, VA 22310

Keith McLaughlin Maxwell/S-Cubed Division P.O. Box 1620 La Jolla, CA 92038-1620

Wayne D. Meitzler PNL PO Box 999, MS K7-22 Richland, WA 99352

Brian Mitchell
Department of Earth & Atmospheric Sciences
St. Louis University
3507 Laclede Avenue
St. Louis, MO 63103

Richard Morrow USACDA/IVI 320 21st Street, N.W. Washington, DC 20451

John Murphy
Maxwell/S-Cubed Division
11800 Sunrise Valley Drive Suite 1212
Reston, VA 22091

James Ni New Mexico State University Department of Physics Las Cruces, NM 88003 Shawn Larsen LLNL PO Box 808, MS L-208 Livermore, CA 94551

Thorne Lay University of California, Santa Cruz Earth Sciences Department Earth & Marine Science Building Santa Cruz, CA 95064

James F. Lewkowicz PL/GPE 29 Randolph Road Hanscom AFB, MA 01731

Gary McCartor Southern Methodist University Department of Physics Dallas, TX 75275-0395

Kevin M. Mayeda LLNL PO Box 808, MS L-205 Livermore, CA 94551

Lee Minner LLNL PO Box 808, MS L-205 Livermore, CA 94551

William Moran LLNL PO Box 808, MS L-200 Livermore, CA 94551

Willy Moss LLNL PO Box 808, MS L-200 Livermore, CA 94551

Keith Nakanishi LLNL PO Box 808, MS L-205 Livermore, CA 94551

Wesley L. Nicholson PNL PO Box 999, MS K6-40 Richland, WA 99352 Charles Oddenino Mines 810 7th St. NW Washington, DC 20241

Howard J. Patton LLNL PO Box 808, MS L-205 Livermore, CA 94551

Frank Pilotte HQ/AFTAC/TT 1030 S. Highway A1A Patrick AFB, FL 32925-3002

Jay Pulli Radix Systems, Inc. 6 Taft Court Rockville, MD 20850

Patricia E. Redgate PNL PO Box 999, MS K5-72 Richland, WA 99352

Mark E. Richards DOE 1000 Independence Ave. SW NN-20 Washington, DC 20585-0420

Alan C. Rohay PNL PO Box 999, MS K6-84 Richland, WA 99352

Alan S. Ryall LLNL PO Box 808, MS L-205 Livermore, CA 94551

Steven R. Sain PNL PO Box 999, MS K5-12 Richland, WA 99352

Avi Shapira Seismology Division The Institute For Petroleum Research and Geophysics P.O.B. 2286, Nolon 58122 ISRAEL John Orcutt

Institute of Geophysics and Plantery Physics Institute of Geophysics and Planetary Physics University of California, San Diego La Jolla, CA 92093

David Craig Pearson LANL PO Box 1663, MS C3

PO Box 1663, MS C335 Los Alamos, NM 87545

Keith Priestley
Department of Earth Sciences
University of Cambridge
Madingley Rise, Madingley Road
Cambridge, CB3 OEZ UK

John Rambo LLNL PO Box 808, MS L-200 Livermore, CA 94551

Delaine Reiter PL/GPE 29 Randolph Road Hanscom AFB, MA 01731

Paul Richards Columbia University Lamont-Doherty Earth Observatory Palisades, NY 10964

Stanley Ruppert LLNL PO Box 808, MS L-202 Livermore, CA 94551

Chandan Saikia Wooodward Clyde Consultants 566 El Dorado Street Pasadena, CA 91101

Thomas Sereno Jr.
Science Applications International Corporation
10260 Campus Point Drive
San Diego, CA 92121

Robert Shumway 410 Mrak Hall Division of Statistics University of California Davis, CA 95616-8671

Don B. Shuster SNL

Dept. 5704

MS 0979, PO Box 5800

Albuquerque, NM 87185-0979

David Simpson

IRIS

1616 N. Fort Meyer Drive

Suite 1050

Arlington, VA 22209

Padmini Sokkappa

LLNL

PO Box 808, MS L-195

Livermore, CA 94551

Brian W. Stump

LANL

PO Box 1663, MS C335

Los Alamos, NM 87545

Jerry Sweeney

LLNL

PO Box 808, MS L-208

Livermore, CA 94551

David Thomas

ISEE

29100 Aurora Road

Cleveland, OH 44139

Lawrence Trost

SNL

Dept. 4115

MS 00329, PO Box 5800

Albuquerque, NM 87185-0329

Frank Vernon

University of California, San Diego

Scripps Institution of Oceanography IGPP, 0225

9500 Gilman Drive

La Jolla, CA 92093-0225

Edward M. van Eeckhout

LANL

PO Box 1663, MS C335

Los Alamos, NM 87545

James W. Walkup

SNL

Dept. 5736

MS 0655, PO Box 5800

Albuquerque, NM 87185-0655

David J. Simons

LANL

PO Box 1663, MS D460

Los Alamos, NM 87545

Albert T. Smith

LLNL

PO Box 808, MS L-205

Livermore, CA 94551

Jeffry Stevens

Maxwell/S-Cubed Division

P.O. Box 1620

La Jolla, CA 92038-1620

Brian Sullivan

Boston College

Insitute for Space Research

140 Commonwealth Avenue

Chestnut Hill, MA 02167

Steven R. Taylor

LANL

PO Box1663, MS C335

Los Alamos, NM 87545

Nafi Toksoz

Earth Resources Laboratory, M.I.T.

42 Carlton Street, E34-440

Cambridge, MA 02142

Lawrence Turnbull

ACIS

DCI/ACIS

Washington, DC 20505

Greg van der Vink

IRIS

1616 N. Fort Meyer Drive

Suite 1050

Arlington, VA 22209

Larry S. Walker

SNL

Dept. 5704

MS 0979, PO Box 5800

Albuquerque, NM 87185-0979

Terry Wallace

University of Arizona

Department of Geosciences

Building #77

Tucson, AZ 85721

William Walter

LLNL

PO Box 808, MS L-205 Livermore, CA 94551

Daniel Weill

NSF

EAR-785

4201 Wilson Blvd., Room 785

Arlington, VA 22230

Ru Shan Wu

University of California Santa Cruz

EArth Sciences Dept. 1156 High Street Santa Cruz, CA 95064

Jeremy York

PNL

PO Box 999, MS K5-12 Richland, WA 99352

James E. Zollweg Boise State University Geosciences Dept. 1910 University Drive Boise, ID 83725

Secretary of the Air Force

(SAFRD)

Washington, DC 20330

Defense Technical Information Center

Cameron Station

Alexandria, VA 22314 (2 Copies)

Phillips Laboratory

ATTN: XPG

29 Randolph Road

Hanscom AFB, MA 01731-3010

Phillips Laboratory

ATTN: TSML

5 Wright Street

Hanscom AFB, MA 01731-3004

Thomas A. Weaver

LANL

PO Box 1663 MS C335 Los Alamos, NM 87545

James Whitcomb

NSF

NSF/ISC Operations/EAR-785 4201 Wilson Blvd., Room785

Arlington, VA 22230

Jiakang Xie

St. Louis University

Department of Earth & Atmospheric Sciences

3507 Laclede Avenue St. Louis, MO 63103

Chris J. Young

SNL

Dept. 6116

MS 0750, PO Box 5800

Albuquerque, NM 87185-0750

John Zucca

LLNL

PO Box 808, MS L-205 Livermore, CA 94551

Office of the Secretary of Defense

DDR&E

Washington, DC 20330

TACTEC

Battelle Memorial Institute

505 King Avenue

Columbus, OH 43201 (Final Report)

Phillips Laboratory

ATTN: GPE

29 Randolph Road

Hanscom AFB, MA 01731-3010

Phillips Laboratory

ATTN: PL/SUL

3550 Aberdeen Ave SE

Kirtland, NM 87117-5776 (2 copies)